# Why choose SUMO?

# SUMO<sup>©</sup> - the full featured Wastewater Process Simulator

The new SUMO24<sup>1</sup> is available now, with significant improvements. It comes with new scenario handling with extended analysis and optimization features, PFAS model, optimized IUWS library (urban catchment and river models), denitrification filter, manual (operational data based) and pre-zone SBR, HRT calculation tool. Robust steady-state solver, easy scenario handling, SPA tool and a ton of other new features.



- Most extensive *calibrated model library* for traditional and advanced wastewater resource recovery processes, GHG, carbon footprint, integrated urban water system
- Supported by the largest<sup>2</sup> wastewater simulation company round the clock
- SUMO is the only open process source commercial simulator<sup>2</sup> (coded in Excel tabular format in SumoSlang©)
- Virtually unlimited activated sludge/anaerobic digester/sidestream treatment configurations available<sup>3</sup>
- Only simulator that allows complete flexibility to build your own models or modify any models in SUMO
- Integrated *steady-state* and *dynamic* simulations, Digital Twin, 2-way link to Excel, Python or other programs, popups, sticky notes, undo, Book of SumoSlang, extended documentation. Available in Korean, Chinese, Japanese, French, Spanish, Turkish, German and Vietnamese languages
- Ask for more details: www.dynamita.com or info@dynamita.com

## **Technical specifications**

Biokinetic/chemical models	Process units	B
SUMO models (Dynamita in-house researched/developed)	Influent	
<ul> <li>Sludge production and oxygen uptake</li> </ul>	Easy, flexible influent specification	
One step nitrification/denitrification	Reactors	
Two step nitrification/denitrification, anammox	<ul> <li>All types of activated sludge reactors</li> </ul>	
Partial denitrification-anammox (PdNA)	(CSTRs, PFRs, oxidation ditches, SBRs etc.)	
• Four step nitrification-denitrification model including N <sub>2</sub> O	<ul> <li>Fermenters and anaerobic digesters</li> </ul>	
formation	Sidestream reactors	
High-rate process, flocculation	MBBR, IFAS, TF, Mobile Carrier	
<ul> <li>Industry leading Bio-P with PAOs GAOs (for S2EBPR as well)</li> </ul>	Aerobic Granular Sludge	
<ul> <li>Hydrolysis with two types of particulate organic state</li> </ul>	MABR, MBR	C
variables	• BAF, UASB	E
Fermentation, anaerobic digestion	Pond/lagoon	
Sulfur oxidation/reduction/precipitation	Phase separators	
Chemical P removal (iron/alum)	Primary, secondary, high efficiency settlers	
• Struvite and other precipitates, nutrient recovery	Reverse osmosis, thickeners, centrifuges,	
Greenhouse gases	cyclone, dewatering, filters etc.	
Methanol dosing	Plantwide tools	
Aeration	<ul> <li>Sum, ratio, totalizers, mapping, noise,</li> </ul>	
• pH, alkalinity	min/max, moving average	
Gas transfer, stripping	• Controllers (DO, SRT, ORP, timer,	
Dynamic alpha prediction	deadband, ratio, PID)	
<ul> <li>Sludge dewaterability prediction</li> </ul>	• SRT, HRT and flow dependence	
PFAS removal	Flow control elements	
Museum models	Pumps, bypass weirs, channels, EQ basin	_
• ASM1	Flow combiners/dividers	F
<ul> <li>ASM2d (original or with TUD bio-P)</li> </ul>	Other units	
• ASM3 (w/wo bio-P)	Energy & cost center	
Barker-Dold	Carbon footprint (CFP) estimation	
ADM1	Thermal hydrolysis and advanced oxidation	
Other models	processes	
UCTPHO+ (UCT)	Add-ons (on request, free of charge)	
Custom models developed in SumoSlang	<ul> <li>Mobile carrier (e.g., kenaf)</li> </ul>	
• SumoSlang – built-in intuitive simulation language for any	<ul> <li>Sewer model (including odor)</li> </ul>	
dynamic or algebraic model	<ul> <li>Densified sludge model</li> </ul>	

#### Built-in analyzer / Optimizer

- Scenarios tailor operational plans for different conditions
- Scenario evaluation-running all scenarios and comparing outputs in one chart
- Sensitivity analysis displaying the impact of selected parameters on outputs
- Optimizer fit to target value (e.g. effluent ammonia setpoint) or measured data, and minimize or maximize

#### **Other features**

Easiest software to get up to speed with:

- GUI Windows 10, 11 based (compiled models are platform independent)
- Runs on Mac within Parallels or Windows
- Unique, user-friendly task-flow based software design.
- Excellent expert support (training courses, model transfer, co-authored books, consultancy etc.)
- Open API connection to 3<sup>rd</sup> party apps (DT Tool)
- In-house developed Excel toolkits: Influent Tools, High F/M Tool (Autotrophic growth rate evaluator), OUR tool, Influent Active Biomass Tool, DSRT Tool (sludge age), KLa Tool, Pump and Blower Tools

Flexible configurations:

- Unlimited complexity (largest, most complex plants in the world have been modelled)
- Typical example plants (A2O, MLE, SBRs, AS+Digester, whole plant with sidestream treatment, IUWS, etc.) provided with software
- Mainstream deammonification
- AB process
- Thermal hydrolysis + digestion and many others

### **Global offices**

- Western Europe (France, Austria)
- North America (Canada)
- Eastern Europe (Hungary)
- UK
- Japan

### Representatives

• Korea, Japan, China, Vietnam

# Pricing

Single standalone license with controllers 2400USD/2300EUR<sup>4</sup> pa including support

Volume discounts, educational, research, mobiel and network licenses are available as annual lease or outright purchase.

Training at your location or in Dynamita offices available.

Ask for a detailed pricelist: info@dynamita.com

<sup>1</sup>SUMO19, SUMO21 and SUMO22 remain operational and do not need to be uninstalled <sup>2</sup>To the best of our knowledge <sup>3</sup>If we don't have it, we build it. Timeline and development costs (if any) are case specific <sup>4</sup>We reserve the right to change pricing without notice



# SUMO<sup>©</sup> is used worldwide

Municipalities: DCWater, Washington DC, USA; Hampton Road Sanitation District, Norfolk, USA, Clean Water Services, Portland, USA, City of Meridian, Idaho, USA; City of Boulder, USA; First Utility District of Knox County, USA; Great Lake Water Authority, USA; Trinity River Authority, USA; WaterCare, Auckland; New Zealand, Aurecon, New Zealand; and others.

Consultants: CH2M, USA; AECOM, USA; ARAconsult, Austria; UTB, Hungary; Friedrichbüro, Germany; EnviTreat, USA; Ramboll, Finland; InnoWater, Hungary; Black and Veatch, USA; HDR, USA; Stantec, USA; Brown and Caldwell, USA; RF Wastewater, USA; SUEZ (CESMAE), France; Atkins, USA; Carollo, USA; Hazen and Sawyer, USA; Trojan Technologies, USA; AquaConsult Baltic, USA; InCTRL, Canada; BioPolus, Hungary; Veolia USA/France/Sweden; R.M. Towill, USA; OptVantage, New Zealand; Headworks International, USA, Volkert & Associates, Inc. USA; HKF Technology, USA, SWECO Nederland B.V., The Netherlands; HEPS Co., Korea; Kinnear Engineering, USA; Holinger, Switzerland, BG Ingénieurs Conseils SA, Switzerland; Hunziker Betatech, Switzerland; Jiacheng Environmental Protection&Engineering, China; Kiewit Corporation, China; GMB Civiel, The Netherlands; Olsson, USA; Binnies, UK; Sapoval, France; Çevtaş, Turkey; etc.

Universities: VirginiaTech, University of Michigan, Aalto, INSA University of Colorado, TU Delft, EAWAG/ETHZ, Università Degli Studenti Firenze, University of Antwerpen, University of Tartu, Technishe Universität Darmstadt, Northeastern University, University of Kansas, INRA, University of Queensland, University of California, Rice University, Universitat de Girona, LIST Luxembourg, University of Washington, Northwestern University, Federal University of Ceara, Lappeenranta University of Technology, BOKU Wien, Harbin Institute of Technology, China; Tshingua University, China; Lunds Universitet, Sweden; Brunel University, UK; Cranfield University, UK; Georgia Institute of Technology, USA; etc.

and others outside these categories such as Hach, USA; Transcend Software, USA; CAMBI, Norway; UNESCO, Paris; World Water Works, USA; Tanuki Software, Japan; Kurita Water, Japan; and others.

(partial client list, 2024)